

MATERIAL SAFETY DATA SHEET

BRS AUSTRALIA PTY LTD

Product: **RED DOG GLASS CLEANER**

SECTION 1 – STATEMENT OF CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

SUPPLIER: BRS AUSTRALIA PTY LTD
ADDRESS: 19 Computer Road YATALA, QLD 4207
Trade Name: **RED DOG GLASS CLEANER**
TELEPHONE: 07 3807 7400 **FAX:** 07 3807 7491
AH EMERGENCY TELEPHONE: 13 1126 in Australia **ABN:** 19 158 969 754
Substance: water based **Product Use:** detergent
Creation Date: JUNE 2014 **Revision Date:** JUNE 2019
Product Code: RDGC (Various Sizes)

SECTION 2 – HAZARDS IDENTIFICATION

- This product is **NOT classified as HAZARDOUS** according to criteria of the National Occupational Health and Safety Commission Australia.
- This product is **NOT classified as Dangerous Goods** according to the Australian Dangerous Goods (ADG) Code.
- This product is **NOT classified as a Scheduled Poison** according to the SUSDP.

Approved Worksafe

Classification	Not hazardous	ADG Classification	none allocated
UN Number	none allocated	ADG Subsidiary Risk	none allocated
Shipping Name	none allocated	Packing Group	none allocated
Hazchem Code	none allocated		
SUSDP Classification	not a scheduled poison		
EMERGENCY OVERVIEW			
Colour	blue	Odour	ammonia odour
Physical Description	Liquid	Viscosity	non-viscous liquid
Major Health Hazards	None known		

SECTION 3 – COMPOSITION AND INFORMATION ON INGREDIENTS

Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication "List of Designated Hazardous Substances" or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication "Approved Criteria for Classifying Hazardous Substances".

Ingredients:	CAS Number:	Proportion:	Exposure Standards TWA	Exposure Standards STEL
Ethanol	64-17-5	10 - 30% w/w	1000ppm 1880 mg/m ³	not set
Ethylene glycol monobutyl ether	111-76-2	< 3% w/w	20ppm (96.9 mg/m ³)	50 ppm (242 mg/m ³)
Ammonia	7664-41-7	< 1% w/w	25 ppm (17 mg/m ³)	35 ppm (24 mg/m ³)
Ingredients determined to be non-hazardous	Various	< 10% w/w	not set	not set
Water	7732-18-5	> 70% w/w	not set	not set

The **TWA** exposure value is the Time Weighted Average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The **STEL** (Short Term Exposure Limit) is an exposure value that should not be exceeded for more than 15 minutes and should not be repeated for more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

MATERIAL SAFETY DATA SHEET

BRS AUSTRALIA PTY LTD

Product: **RED DOG GLASS CLEANER**

SECTION 4 – FIRST AID MEASURES

Scheduled Poisons	Not classified as a scheduled poison, however Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance. (Phone Australia 131126 or New Zealand 03 474 7000).
First Aid Facilities	Normal washroom facilities.
Skin contact	Wash skin with water. Remove contaminated clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation, burning or redness develops.
Eye contact	Immediately irrigate with copious quantities of water for at least 20 minutes. Eyelids to be held open. Seek medical advice (e.g. ophthalmologist).
Ingestion	Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek medical advice (e.g. doctor).
Inhalation	Remove victim to fresh air away from exposure - avoid becoming a casualty. Seek medical advice (e.g. doctor).
Advice to Doctor	Treat symptomatically. All treatments should be based on observed signs and symptoms of distress of the patient
Aggravated Medical Conditions	None known.

SECTION 5 – FIRE FIGHTING MEASURES

Fire and Explosion Hazards	Water/alcohol based. C1 Combustible. In use, may form flammable/explosive vapour-air mixture. If involved in a fire will emit toxic fumes.
Extinguishing Media	Use carbon dioxide (CO ₂) fire extinguisher, water fog or fine water spray.
Fire Fighting	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion or decomposition. Evacuate area - move upwind of fire.
Flash Point	> 61 °C

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Emergency Procedures	No HAZCHEM code.
Occupational Release	Minor spills do not normally need any special clean-up measures. In the event of a major spill, prevent spillage from entering drains or water courses. For large spills, or tank rupture, stop leak if safe to do so. Eliminate any ignition sources. Wear appropriate protective equipment as in section 8 below to prevent skin and eye contamination. Spilt material may result in a slip hazard and should be absorbed into dry, inert material (e.g. sand, earth or vermiculite), which then can be put into appropriately labelled drums for disposal by an approved agent according to local conditions. Residual deposits will remain slippery. Wash area down with excess water. If contamination of sewers or waterways has occurred advise the local emergency services. In the event of a large spillage notify the local environment protection authority or emergency services.

SECTION 7 – HANDLING AND STORAGE



Handling	Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with water after handling.
Storage	Store in a cool, dry, place with good ventilation. Avoid storing in aluminium and light alloy containers. Store away from incompatible materials (Section 10). Keep containers closed at all times – check regularly for leaks.

MATERIAL SAFETY DATA SHEET

BRS AUSTRALIA PTY LTD

Product: **RED DOG GLASS CLEANER**

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits	National Occupational Exposure Limits, as published by National Occupational Health & Safety Commission: Time-weighted Average (TWA): None established for specific product. See SECTION 3 for Exposure Limits of individual ingredients. Short Term Exposure Limit (STEL): None established for specific product. See SECTION 3 for Exposure Limits of individual ingredients.
Biological Limit Value	None established for product.
Engineering Controls	Use in a well-ventilated area.
Personal Protective Equipment	This product is not classified as hazardous according to the criteria of Worksafe Australia. Use good occupational work practice. The use of protective clothing and equipment depends upon the degree and nature of exposure. Final choice of appropriate protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. The following protective equipment should be available;
Eye Protection	The use of safety glasses with side shield protection, goggles or face shield is recommended to handle in quantity, cleaning up spills, decanting, etc. Contact lenses pose a special hazard ; soft lenses may absorb irritants and all lenses concentrate them.
	
Skin Protection	Gloves are recommended for sensitive skin. Overalls, work boots and elbow length gloves are recommended for handling the concentrated product (as per AS/NZS 2161, or as recommended by supplier) in quantity, cleaning up spills, decanting, etc.
	
Protective Material Types	Material suitable for detergent contact – Butyl rubber, Natural Latex, Neoprene, PVC, and Nitrile.
Respirator	Not required for normal cleaning operations as per label directions with adequate ventilation. Where high contaminant spray mist or vapour levels exist, ie, approaching the exposure limit, the following additional equipment is required: For short elevated exposures, eg, spillages:- Appropriate organic vapour cartridge respirator as per the requirements of AS/NZS 1715 and AS/NZS 1716 (Respiratory protective devices). For prolonged exposure and confined spaces:- full face air supplied or self contained breathing apparatus (if vapour levels exceed the Exposure Limit by more than ten times, air supplied apparatus should be used).

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid	Colour	Clear Light Blue
Odour	ammonia odour	Specific Gravity	0.96 @ 25 °C
Boiling Point	91 °C	Freezing Point	Approximately 0 °C
Vapour Pressure	Not available	Vapour Density	Not available
Flash Point	N/A	Flammable Limits	Not determined
Water Solubility	Miscible in all proportions	pH	10.8 neat
Volatile Organic Compounds (VOC)	Not available	Coefficient of Water/Oil Distribution	Not available
Viscosity	Not available	Odour Threshold	Not available
Evaporation Rate	Not available	Per Cent Volatile	100.00

MATERIAL SAFETY DATA SHEET

BRS AUSTRALIA PTY LTD

Product: **RED DOG GLASS CLEANER**

SECTION 10 – STABILITY AND REACTIVITY

Chemical Stability	Stable at normal temperatures and pressure.
Conditions to Avoid	None known.
Incompatible Materials	Oxidizing agents and reducing agents.
Hazardous Decomposition	Product can decompose on combustion (burning) to form Carbon Monoxide, Carbon Dioxide, and other possibly toxic gases and vapours.
Hazardous Reactions	None known.

SECTION 11 – TOXICOLOGICAL INFORMATION

PRODUCT MIXTURE INFORMATION

Local Effects Mild irritant: eye, skin, inhalation and ingestion.

Target Organs Eyes, mucous membranes, skin.

POTENTIAL HEALTH EFFECTS

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion

short term exposure Ingestion of large amounts may irritate the gastric tract causing nausea and vomiting. This product containing ethylene glycol mono butyl ether and ethanol may cause headache, dizziness, light-headedness, confusion, and passing out, and may damage the liver and kidneys on ingestion.

long term exposure No information available.

Skin contact

short term exposure Skin contact may cause irritation in certain individuals if extended contact with concentrated product. Skin contact with this product containing ingredient ethylene glycol monobutyl ether may cause central nervous system effects.

long term exposure Prolonged and repeated skin contact with undiluted solutions may induce eczematoid dermatitis.

Eye contact

short term exposure Eye contact may cause stinging, blurring, tearing, pain.

long term exposure No information available.

Inhalation

short term exposure Aerosols of this product containing ingredient ethylene glycol monobutyl ether and ethanol may cause central nervous system effects if inhaled.

long term exposure No information available.

Carcinogen Status

NOHSC No significant ingredient is classified as carcinogenic by NOHSC.

NTP No significant ingredient is classified as carcinogenic by NTP.

IARC No significant ingredient is classified as carcinogenic by IARC.

Medical conditions

aggravated by exposure No information available.

SECTION 12 – ECOLOGICAL INFORMATION

Fish toxicity None available for specific product.

Algae toxicity None available for specific product.

Invertebrates toxicity None available for specific product.

Toxicity to Bacteria None available for specific product.

OECD Biological degradation Individual components stated to be readily biodegradable. No hydrocarbons present in the product.

MATERIAL SAFETY DATA SHEET

BRS AUSTRALIA PTY LTD

Product: **RED DOG GLASS CLEANER**

General Product miscible in all proportions with water. AS WITH ANY CHEMICAL PRODUCT, DO NOT DISCHARGE BULK QUANTITIES INTO DRAINS, WATERWAYS, SEWER OR ENVIRONMENT. Inform local authorities if this occurs.

SECTION 13 – DISPOSAL CONSIDERATIONS

Disposal The small quantities contained in wash solutions (when used as directed) can generally be handled by conventional sewage systems, septics, and grey water systems. To dispose of larger quantities of undiluted product, refer to State Land Waste Management Authority. Transfer product residues to a labelled, sealed container for disposal or recovery. Waste disposal must be by an accredited contractor. As with any chemical, do not put down the drain in quantity. For larger scale use, eg. Commercial laundry operations, a recycled water system is often recommended, or Trade Waste License obtained for disposal to sewer.

SECTION 14 – TRANSPORT INFORMATION

UN Number	none allocated	ADG Classification	none allocated
Shipping Name	none allocated	ADG Subsidiary Risk	none allocated
Hazchem Code	none allocated	Packing Group	none allocated
Packaging Method	none allocated	Special Provisions	none allocated
Segregation	none allocated		

SECTION 15 – REGULATORY INFORMATION

AICS All ingredients present on AICS.
Labeling Details
HAZARD Not hazardous
RISK PHRASES None allocated
SAFETY PHRASES None allocated
SUSDP None allocated
ADG Code None allocated

SECTION 16 – OTHER INFORMATION

Acronyms
SUSDP Standard for the Uniform Scheduling of Drugs and Poisons.
ADG Code Australian Code for the Transport of Dangerous Goods by Road and Rail.
CAS Number Chemical Abstracts Service Registry Number.
UN Number United Nations Number.
R-Phrases Risk Phrases.
HAZCHEM An emergency action code of numbers and letters which gives information to emergency services.
NOHSC National Occupational Health and Safety Commission.
NTP National Toxicology Program (USA).
IARC International Agency for Research on Cancer.
AICS Australian Inventory of Chemical Substances.
TWA Time Weighted Average
STEL Short Term Exposure Limit
Literature References List of Designated Hazardous Substances [NOHSC:10005(1999)]

MATERIAL SAFETY DATA SHEET

BRS AUSTRALIA PTY LTD

Product: **RED DOG GLASS CLEANER**

Australian Code For The Transport Of Dangerous Goods By Road And Rail – Sixth Edition.
Standard for the Uniform Scheduling of Drugs and Poisons.
National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC:2011(2003)]
Approved Criteria for Classifying Hazardous Substances [NOHSC:1008(1999)]
Material Safety Data Sheets – individual raw materials – Suppliers.
HSIS – Hazardous Substance Information System – National Worksafe Data Base.
New Issue to standard : 2nd Edition [NOHSC:2011(2003)].

Revision Information

Note

Contact Point

Issue Date

Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

Regulatory Affairs Manager.

Telephone

07 3807 7400

Supersedes Issue Date

1st issue

This MSDS summarizes at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since the supplier cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this supplier.